


Totally Integrated Automation Portal									
名称	数据类型	偏移量	默认值	从 HMI/OPC UA/Web API 可访问	从 HMI/OPC UA/Web API 可写	在 HMI 工程组态中可见	设定值	监控	注释
Pv[5]	Real	44.0	0.0	True	True	True	False		
Pv[6]	Real	48.0	0.0	True	True	True	False		
▼ Slope	Array[0..5] of Real	52.0		True	True	True	False		
Slope[0]	Real	52.0	0.0	True	True	True	False		
Slope[1]	Real	56.0	0.0	True	True	True	False		
Slope[2]	Real	60.0	0.0	True	True	True	False		
Slope[3]	Real	64.0	0.0	True	True	True	False		
Slope[4]	Real	68.0	0.0	True	True	True	False		
Slope[5]	Real	72.0	0.0	True	True	True	False		
sec	Int	76.0	0	True	True	True	False		
i	Int	78.0	0	True	True	True	False		
▼ Edge	Array[0..9] of Bool	80.0		True	True	True	False		
Edge[0]	Bool	80.0	false	True	True	True	False		
Edge[1]	Bool	80.1	false	True	True	True	False		
Edge[2]	Bool	80.2	false	True	True	True	False		
Edge[3]	Bool	80.3	false	True	True	True	False		
Edge[4]	Bool	80.4	false	True	True	True	False		
Edge[5]	Bool	80.5	false	True	True	True	False		
Edge[6]	Bool	80.6	false	True	True	True	False		
Edge[7]	Bool	80.7	false	True	True	True	False		
Edge[8]	Bool	81.0	false	True	True	True	False		
Edge[9]	Bool	81.1	false	True	True	True	False		
▼ Temp									
temp	Real	0.0							
Constant									
网络 1 :									

Totally Integrated Automation Portal		
#Clk P #Edge[0] INC Int EN ENO #sec IN/OUT		
网络 2 :		
网络 2 :		
#sec > Int #Cycle MOVE EN ENO 0 IN OUT1 #sec 1 MOVE_BLK EN ENO #Pv[1] IN OUT #Pv[0] 6 COUNT MOVE EN ENO #Pv_Te IN OUT1 #Pv[6]		
网络 3 :		
0001 FOR #i := 0 TO 5 DO 0002 #Slope[#i] := (#Pv[#i + 1] - #Pv[#i])*6; 0003 END_FOR; 0004		
网络 4 :		
网络 5 :		
ADD Auto (Real) EN ENO #HH IN1 OUT #temp 5.0 IN2		
网络 6 :		

网络 6 :



网络 7 :



网络 8 :

